

WET NURSE™

PREMIUM CALF MILK REPLACER [28-28-18]

Feeds Act Registration No. 910110
This feed contains added selenium at 0.3 mg/kg

GUARANTEED ANALYSIS

| | |
|--|--------------|
| Crude Protein (min.) | 28.0% |
| Crude Protein from milk sources (min.) | 28.0% |
| Crude Fat (min.) | 18.0% |
| Crude Fibre (max.) | 0.25% |
| Calcium (act.) | 0.8% |
| Phosphorus (act.) | 0.65% |
| Sodium (act.) | 0.8% |
| Vitamin A (min.) | 50,000 IU/kg |
| Vitamin D ₃ (min.) | 10,000 IU/kg |
| Vitamin E (min.) | 150 IU/kg |

INGREDIENTS

A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

NOTE: To maintain freshness, keep partially used bags closed tightly after opening.

SEE REVERSE SIDE FOR MIXING/FEEDING DIRECTIONS

See Bag for Net Weight
See Bag for Lot Number

Manufactured by:



Prairie Micro-Tech Inc.

Head office: (Registrant)
PO Box 26028
2641 Albert Street N
Regina, SK Canada
S4R 8R7

12-550 Trillium Drive
Kitchener, ON
Canada
N2R 1K3

2610A Progressive Way
Abbotsford, BC Canada
V2T 6H9

www.pmtgroup.com

MIXING DIRECTIONS

| | | |
|----------------------|---------------------------|-------------------|
| milk replacer powder | fresh clean potable water | water temperature |
| 160 grams | 1000 mls | 38° - 45° C |

NOTES ON MIXING:

- For accurate mixing, use scales to weigh powder
- Always use fresh potable water for mixing milk replacer solution
- Add powder to water (38° - 45°C) using wire whisk to mix thoroughly
- Mix only enough for one feeding at a time
- Wash rinse and sanitize utensils thoroughly after every feeding

FEEDING DIRECTIONS

PER FEEDING – 2 X PER DAY

NOTE – For calves on an accelerated growth program, feed three times daily. For large frame calves, feed three times daily.

NOTE – During COLD weather increase the amount fed by up to 50% by providing a THIRD daily feeding of milk replacer solution

| Age days | Whole Milk mls | Feeding temperature of solution | Milk Replacer Solution mls |
|----------|----------------|---------------------------------|----------------------------|
| 0 – 3* | Colostrum* | See note* | None* |
| 4 - 7 | None | 38°C | 1800 |
| 8 - 14 | None | 38°C | 2000 |
| 15 - 21 | None | 38°C | 2500 |
| 22 - 28 | None | 38°C | 2500 |
| 29 - 35 | None | 38°C | 3000 |
| 36 - 42 | None | 38°C | 3000 |
| 43 - 49 | None | 38°C | 2500 |
| 50 - 56 | None | 38°C | 2000 |

*NOTES ON FEEDING COLOSTRUM:

- Feed 4 – 6 litres of good quality colostrum within 8 hours of birth
- Continue feeding transition milk for up to 3 days OR switch to Wet Nurse™ Premium 28-28-18 milk replacer solution

CAUTIONS

- Directions for use must be carefully followed
- Allow calves continuous access to good clean drinking water
- Starting at approximately 1 week of age, provide a good quality calf starter on a free-choice basis
- Follow the recommendations of your feed consultant

Consult PMT's website for further information on feeding Wet Nurse™ milk replacers www.pmtgroup.com

LIABILITY DISCLAIMER

Individual results from the use of this product may vary due to management, environmental, genetic, health and sanitation differences. Therefore, Prairie Micro-Tech Inc. does not warrant or guarantee individual results.