

**WET NURSE™**  
**TURBO BOOST**  
**CALF MILK REPLACER**  
**[24-24-18]**  
**100% MILK PROTEIN**

Feeds Act Registration No. 910074  
This feed contains added selenium at 0.3 mg/kg

**GUARANTEED ANALYSIS**

Crude Protein (min.)	24.0%
Crude Protein from milk sources (min.)	24.0%
Crude Fat (min.)	18.0%
Crude Fibre (max.)	0.25%
Calcium (act.)	0.8%
Phosphorus (act.)	0.65%
Sodium (act.)	0.8%
Vitamin A (min.)	50,000 IU/kg
Vitamin D <sub>3</sub> (min.)	7,500 IU/kg
Vitamin E (min.)	150 IU/kg

**INGREDIENTS**

A list of ingredients used in this feed may be obtained from the manufacturer or registrant.

**NOTE:** To maintain freshness, keep partially used bags closed tightly after opening.

**SEE REVERSE SIDE FOR MIXING/FEEDING DIRECTIONS**

See Bag for Net Weight  
See Bag for Lot Number

Manufactured by:



Prairie Micro-Tech Inc.

Head office: (Registrant)  
PO Box 26028  
2641 Albert Street N  
Regina, SK Canada  
S4R 8R7

12-550 Trillium Drive  
Kitchener, ON  
Canada  
N2R 1K3

2610A Progressive Way  
Abbotsford, BC Canada  
V2T 6H9

[www.pmtgroup.com](http://www.pmtgroup.com)

### MIXING DIRECTIONS

milk replacer powder	fresh clean potable water	water temperature
150 grams	1000 mls	38° - 45° C

#### NOTES ON MIXING:

- For accurate mixing, use scales to weigh powder
- Always use fresh potable water for mixing milk replacer solution
- Add powder to water (38° - 45°C) using wire whisk to mix thoroughly
- Mix only enough for one feeding at a time
- Wash rinse and sanitize utensils thoroughly after every feeding

### FEEDING DIRECTIONS PER FEEDING – 2 X PER DAY

NOTE – For large frame calves, add a third feeding

NOTE – During COLD weather increase the amount fed by up to 50% by providing a THIRD daily feeding of milk replacer solution

Age days	Whole Milk mls	Feeding temperature of solution	Milk Replacer Solution mls
0 – 3*	Colostrum*	See note*	None*
4 - 7	None	38°C	1750
8 - 14	None	38°C	2000
15 - 21	None	38°C	2500
22 - 28	None	38°C	2500
29 - 35	None	38°C	3000
36 - 42	None	38°C	3000
43 - 49	None	38°C	2500
50 - 56	None	38°C	2000

#### \*NOTES ON FEEDING COLOSTRUM:

- Feed 4 – 6 litres of good quality colostrum within 8 hours of birth
- Continue feeding transition milk for up to 3 days OR switch to Wet Nurse™ Turbo Boost 24-24-18 milk replacer solution

#### CAUTIONS

- Directions for use must be carefully followed
- Allow calves continuous access to good clean drinking water
- Starting at approximately 1 week of age, provide a good quality calf starter on a free-choice basis
- Follow the recommendations of your feed consultant

Consult PMT's website for further information on feeding Wet Nurse™ milk replacers [www.pmtgroup.com](http://www.pmtgroup.com)

#### LIABILITY DISCLAIMER

Individual results from the use of this product may vary due to management, environmental, genetic, health and sanitation differences. Therefore, Prairie Micro-Tech Inc. does not warrant or guarantee individual results.