

WET NURSE™

ALIMENT D'ALLAITEMENT POUR VEAUX [20-20-16]

Protéine d'origine laitière à 100%

Numéro d'enregistrement 580033

Cet aliment contient du sélénium ajouté à 0,3 mg/kg

ANALYSE GARANTIE

Protéines brutes (min.)	20,0%
Protéines brutes d'origine laitière (min.)	20,0%
Matières grasses brutes (min.)	16,0%
Fibre brute (max.)	0,25%
Calcium (réel)	0,8%
Phosphore (réel)	0,65%
Sodium (réel)	0,8%
Vitamine A (min.)	50,000 IU/kg
Vitamine D ₃ (min.)	10,000 IU/kg
Vitamine E (min.)	150 IU/kg

INGRÉDIENTS

On peut se procurer la liste des ingrédients en s'adressant au fabricant ou au détenteur d'enregistrement.

REMARQUE: Pour conserver la fraîcheur, bien fermer les sacs partiellement utilisés après ouverture.

MODE D'EMPLOI POUR LE MÉLANGE OU L'ALIMENTATION AU VERSO

Le poids net est indiqué sur le sac
Le numéro de lot est indiqué sur le sac

Fabriqué par



Prairie Micro-Tech Inc.

Siège social (titulaire de l'enregistrement)

PO Box 26028
2641 Albert Street N
Regina, SK Canada
S4R 8R7

12-550 Trillium Drive
Kitchener, ON
Canada
N2R 1K3

2610A Progressive Way
Abbotsford, BC Canada
V2T 6H9

MIXING DIRECTIONS

milk replacer powder	fresh clean potable water	water temperature
150 grams	1000 mls	38° - 45° C

NOTES ON MIXING:

- For accurate mixing, use scales to weigh powder
- Always use fresh potable water for mixing milk replacer solution
- Add powder to water (38° - 45°C) using wire whisk to mix thoroughly
- Mix only enough for one feeding at a time
- Wash rinse and sanitize utensils thoroughly after every feeding

FEEDING DIRECTIONS

PER FEEDING – 2 X PER DAY

NOTE – For large frame calves, add a third feeding

NOTE – During COLD weather when environmental temps drop below 4°C for prolonged periods, increase the amount fed daily by up to 50% by providing a THIRD daily feeding of milk replacer solution in addition

Age days	Whole Milk mls	Feeding temperature of solution	Milk Replacer Solution mls/feeding
0 – 3*	Colostrum*	See note*	None*
4 - 7	None	38°C	1750
8 - 14	None	38°C	2000
15 - 21	None	38°C	2500
22 - 28	None	38°C	2500
29 - 35	None	38°C	3000
36 - 42	None	38°C	3000
43 - 49	None	38°C	2500
50 - 56	None	38°C	2000

*NOTES ON FEEDING COLOSTRUM:

- Feed 4 – 6 litres of good quality colostrum within 8 hours of birth
- Continue feeding transition milk for up to 3 days OR switch to Wet Nurse™ 20-20-16 milk replacer solution

CAUTIONS

- Directions for use must be carefully followed
- Allow calves continuous access to good clean drinking water
- Starting at approximately 1 week of age, provide a good quality calf starter on a free-choice basis
- Follow the recommendations of your feed consultant

Consult PMT's website for further information on feeding Wet Nurse™ milk replacers www.pmtgroup.com

LIABILITY DISCLAIMER

Individual results from the use of this product may vary due to management, environmental, genetic, health and sanitation differences. Therefore, Prairie Micro-Tech Inc. does not warrant or guarantee individual results.